AKG ACOUSTICS

THE LESS

WNS 40 PRO

ULTRAHIGHFREQUENCY + WMS 40 microtools













Think Wireless





Three selectable UHF frequencies for interference-free reception.



Maximum transmission reliability even in difficult environments. The system automatically selects the antenna providing the best signal.



High Definition Audio Performance technology ensures the legendary, realistic AKG sound and perfect audio transmission.



Transmitters operate for at least 30 hours off a single AA size battery, saving cost, maximizing dependability, and minimizing onstage stress.



Two receivers in a single case minimize space requirements and cost.

AKG Acoustics. A legendary brand.

We listened to the users and added many useful features to the successful and well-known WMS 40 wireless system. The new WMS 40 PRO wireless provides even more flexibility and mobility for your gig.


WMS 40 PRO



Maximum flexibility

for interference-free reception.

- Single channel with three selectable
- Diversity
- Adjustable squelch
- Multichannel capability for simultaneous



2-in-1 receiver saves cost

The cost efficient alternative for operating two transmitters at the same time.


- Two fixed-frequency receivers in a single unit
- All-metal case
- Miniature transmitters
- Single-battery powering
 Multichannel capability for simultaneous use of up to seven channels?



Plug and play.

The perfect solution for a singlechannel wireless system. Unpack and start having fun.

- Single fixed frequency
- All-metal case
- Miniature transmitters
- Single-battery poweringMultichannel capability for simultaneous use of up to seven channels*



Individual configurations

Each microtool can be used with the SR 40 Single or PR 40 receiver.

- Single fixed frequency
- Unlimited combinations Audio compatibility
- Frequency compatibility

^{*} Maximum number of channel depends on local frequency plans. For details, contact your dealer or visit www.akg.com/wms40pro or www.akg.com/frequencies

From the Olympic Games to you. AKG products have been used with excellent results for many years at the theaters, opera houses, TV stations, conference centers, legislative assemblies, theme parks, and mega-events. International stars in the worlds of pop, rock, and classical music rely on AKG Acoustics. All this knowledge has been used in designing the WMS 40 PRO and is now available in many tailor-made configurations for your specific application.

Attention: WMS 40 PRO systems can be operated without any permit or fee in many countries.

	Vocal	Instrumental	Guitar Special	Sports	Presenter	Universal Use
	18					
	Page 4	Page 6	Page 6	Page 8	Page 10	Page 12
	Vocal Set FLEXX SR 40 FLEXX, HT 40 FLEXX Sports Set FLEXX SR 40 FLEXX, PT 40 FLEXX, C 444 L	Instrumental Set FLEXX SR 40 FLEXX, PT 40 FLEXX, MKG L cable Vocal Set FLEXX SR 40 FLEXX, HT 40 FLEXX	Instrumental Set FLEXX SR 40 FLEXX, PT 40 FLEXX, MKG L cable	Sports Set FLEXX SR 40 FLEXX, PT 40 FLEXX,C 444 L Presenter Set FLEXX SR 40 FLEXX, PT 40 FLEXX, CK 55 L	Presenter Set FLEXX SR 40 FLEXX, PT 40 FLEXX, CK 55 L Vocal Set FLEXX SR 40 FLEXX, HT 40 FLEXX Sports Set FLEXX SR 40 FLEXX, PT 40 FLEXX, C 444 L	
t E	Vocal Set DUAL SR 40 Dual, 2x HT 40 PRO Presenter Set DUAL SR 40 Dual, PT 40 PRO, C 444 L, HT 40 PRO	Instrumental Set DUAL SR 40 Dual, 2x PT 40 PRO, 2x MKG L cables Vocal Set DUAL SR 40 Dual, 2x HT 40 PRO	Guitar / Vocal Set DUAL SR 40 Dual, PT 40 PRO, C 444 L, GB 40 Instrumental Set DUAL SR 40 Dual, 2x PT 40 PRO, 2x MKG L cables	Presenter Set DUAL SR 40 Dual, PT 40 PRO, C 444 L, HT 40 PRO	Presenter Set DUAL SR 40 Dual, PT 40 PRO, C 444 L, HT 40 PRO Vocal Set DUAL SR 40 Dual, 2x HT 40 PRO	
		Instrumental Set SINGLE SR 40 Single, PT 40 PRO, MKG L cable Vocal Set SINGLE SR 40 Single, HT 40 PRO	Instrumental Set SINGLE SR 40 Single, PT 40 PRO, MKG L cable	Sports Set SINGLE SR 40 Single, PT 40 PRO, C 444 L Presenter Set SINGLE SR 40 Single, PT 40 PRO, CK 55 L	Presenter Set SINGLE SR 40 Single, PT 40 PRO, CK 55 L Vocal Set SINGLE SR 40 Single, HT 40 PRO Sports Set SINGLE SR 40 Single, PT 40 PRO, C 444 L	
	TM 40 SO 40		PR 40 + GB 40			PR 40 GB 40 MP 40 SO 40 TM 40

First choice

Good choice












Vocal Sets



Legendary AKG sound. All WMS 40 PRO vocal systems share the same brilliant sound and ease of use.

- Unique HDAP (High Definition Audio Performance) technology ensures the best possible, realistic sound at any time.
- The rugged handheld transmitter with its soft-touch finish is extremely easy to use and fulfills the highest esthetic requirements.
- The transmitters operate for 30 hours off a single AA size battery, saving frequent battery replacements and thus money.
- If you need two transmitters, consider the cost efficient Dual Set systems.





ARE YOU READY

CU 400 optional charger






Cnort

Drocontor

Universal Use

Instrumental Sets



Highly versatile. The WMS 40 PRO instrumental sets. The convenient PT 40 PRO bodypack is the smallest and lightest transmitter in its class. It can be used with many AKG miniature microphones.

- The supplied MKG L cable allows an electric guitar or bass to be connected directly to the transmitter.
- The Instrumental Set FLEXX system boasts selectable frequencies and optimum transmission reliability.
- The Instrumental Set Dual system is your best choice for two-channel applications.
- The Guitar/Vocal Set system includes a GB 40 guitarbug transmitter. To sing and play with wireless mobility, all you need to do is connect the GB 40 to your guitar or bass, put on the C 444 L head-worn microphone, and power up.





GB 40 guitarbug







FlexJack swiveling, extendible jack plug matches all types of guitar and bass jacks.










SR 40 FLEXX receiver



Sports Sets



Move freely! With the WMS 40 PRO sports sets. The comfortable C 444 L head-worn microphone and the ultra-light PT 40 PRO bodypack transmitter afford the greatest possible mobility.

- Optimum intelligibility and proven AKG sound quality.
- The Sports Set Flexx features selectable frequencies. The diversity receiver
 ensures the best possible reception at any time, an ideal feature for the gym
 where users tend to move about quickly.
- The C 444 L uses special moisture and pop shields to keep any moisture out of the microphone.
- The transmitter operates for 30 hours off a single AA size battery, saving frequent battery replacements and thus a lot of money.





Presenter Sets



The sound of your voice. The WMS 40 PRO presenter sets will get your speech across perfectly. The inconspicuous CK 55 L lavalier microphone is easy to attach.

- Easy to hide in the user's clothes, the WMS 40 PRO presenter sets provide optimum intelligibility for actors, presenters, or moderators.
- Ease of use lets you focus on what you have to say.
- The transmitter operates for 30 hours off a single AA size battery.
- For events with two moderators or an audience channel, we highly recommend using the cost efficient Presenter Set Dual system.



WE PROUDLY PRESENT...



Universal Use



Anything goes. Set up your individual system with WMS 40 microtools. You can use every microtool with the SR 40 SINGLE stationary receiver or the PR 40 portable receiver.

- Unlimited combinations
- Audio compatibility
- Frequency compatibility
- High Definition Audio Performance

Receivers



WMS 40 Microtools



Accessory

CU 40 charger



Just place your microtools in the CU 40 charger after the gig.

- GB 40
- MP 40
- SO 40
- TM 40
- PR 40



THE CHOICE IS YOURS







PR 40 portable receiver

Specifications



WMS 40 PRO

	receiver	handheld transmitter		
Carrier frequency	660 to 865 MHz,	660 to 865 MHz,		
	3 selectable frequencies	3 selectable frequencies		
Audio	35 Hz to 20 kHz	65 Hz to 20 kHz		
<u>bandwith</u>				
THD at 1 kHz	typ. 0,8 %	typ. 0,8 %		
Signal/	typ. 110 dB(A)	typ. 110 dB(A)		
noise ratio				
RF		typ. 10 mW (ERP)		
output				
Power	120/230 V AC	1 AA size battery		
requirement				
Battery life		typ. 30 h (for 2200 mAh)		
Audio outputs	bal. XLR and unbal. 1/4" jack, output level adjustable at rated deviation: 500 mV rms.			
Size	200 x 190 x 44 mm	229 x 53 dia. mm		
	(7.8 x 7.4 x 1.7 in.)	(9 x 2.1 in.)		
Net weight	665 g (1.5 lbs.)	195 g (6.95 oz.)		
(exc. of batteries)				
Package	SR 40 FLEXX, AC adapter	HT 40 FLEXX, 1 AA size dry battery,		
		1 semitransparent replacement clip,		

HT 40 FLEXX

WMS 40 Microtools

PR 40 \

		S.			
	portable receiver	guitarbug			
Carrier frequency	710 to 865 MHz, 1 fixed frequency	710 to 865 MHz, 1 fixed frequency			
Audio	40 Hz to 20 kHz	40 Hz to 20 kHz			
<u>bandwith</u>					
THD at 1 kHz	typ. 0,8 %	typ. 0,8 %			
Signal/	typ. 103 dB(A)	typ. 103 dB(A)			
noise ratio					
RF		typ. 5 mW(ERP)			
output					
Power	2 AAA size batteries	1 AAA size batteries			
requirement					
Battery life	> 8 hours (dry batteries),	< 11 hours (dry batteries),			
	> 6 hours (rechargeable batteries)	< 6 hours (rechargeable batteries)			
Audio outputs	Unbal. line (tip): -6dBm (10 k Ω)				
	Headphone output (ring): 18 mW typ.				
	into 15 Ω ; 13 mW typ. into 100 Ω				
Size	77 x 55 x 15 mm	76 x 20 x 28 mm			
	(3 x 2.2 x 0.6 in.)	(3 x 0.8 x 1.1 in.)			
Net weight	60 g (2.1 oz.)	28 g (1 oz.)			
(exc. of batteries)					
Package	PR 40 diversity, belt clip, audio con-	GB 40, long adapter plug,			
	necting cable, Velcro strips for camera	black battery cover, 2 Velcro strips,			
	mounting, 2 AAA size dry batteries	1 AAA size dry battery			

Recommended microphones for PT 40 PRO and PT 40

GB 40









PT 40 FLEXX SR 40 DUAL **PT 40 PR0 SR 40 SINGLE HT 40 PRO** bodypack transmitter handheld transmitter bodypack transmit 660 to 865 MHz, 710 to 865 MHz, 710 to 865 MHz, 1 fixed frequency 710 to 865 MHz, 1 fixed frequency 710 to 865 MHz, 1 fixed frequency 2 fixed-frequency receivers in single case 40 Hz to 20 kHz 40 Hz to 20 kHz 65 Hz to 20 kHz 40 Hz to 20 kHz typ. 0,8 % typ. 0,8 % typ. 0,8 % typ. 0,8 % typ. 110 dB(A) typ. 10 mW (ERP) typ. 10 mW (ERP) typ. 10 mW (ERP) 120/230 V AC 120/230 V AC 1 AA size battery 1 AA size battery 1 AA size battery typ. 30 h (for 2200 mAh) typ. 30 h (for 2200 mAh) bal. 1/4" jack, output level, bal. 1/4" jack, output level, adjustable at rated deviation: adjustable at rated deviation: 500 mV rms. 500 mV rms. 200 x 190 x 44 mm 200 x 190 x 44 mm 229 x 53 dia. mm 60 x 74 x 30 mm (2.4 x 2.9 x 1.2 in.) 60 g (2.1 oz.) (7.8 x 7.4 x 1.7 in.) (7.8 x 7.4 x 1.7 in.) (9 x 2.1 in.) 647 g (1.4 lbs.) 581 g (1.3 lbs.) 195 g (6.95 oz.) PT 40 FLEXX, 1 AA size dry battery, SR 40 DUAL, AC adapter SR 40 SINGLE, AC adapter HT 40 PRO, 1 AA size dry battery, PT 40 PRO, 1 AA size dry battery, 1 labeling sheet 1 semitransparent replacement clip, 1 labeling sheet 1 stand adapter

			ACCESSORIES		
MP 40	SO 40	TM 40	CU 40	CU 400	
F-	E orten	The second secon			
micropen	snapon transmitter	transmitter module	charger	charger	
710 to 865 MHz, 1 fixed frequency	710 to 865 MHz, 1 fixed frequency	710 to 865 MHz, 1 fixed frequency	Charging current: typ. 550 mA	Charging current:	
40 Hz to 20 kHz	40 Hz to 20 kHz	40 Hz to 20 kHz	Max. charging time: 1 hour	typ. 1.4 A in single-slot mode typ. 0.7 A if both slots are used	
typ. 0,8 %	typ. 0,8 %	typ. 0,8 %		simultaneously	
typ. 103 dB(A)	typ. 103 dB(A)	typ. 103 dB(A)	For use with: PR 40	Max. charging time:	
typ. 5 mW(ERP)	typ. 5 mW(ERP)	typ. 5 mW(ERP)	GB 40 MP 40	typ. 1.5 hours in single-slot mode typ. 3 hours if both slots are used	
1 AAA size batteries	1 AAA size batteries	1 AAA size batteries	SO 40 TM 40	simultaneously (depending on battery	
< 10 hours (dry batteries),	< 10 hours (dry batteries),	< 10 hours (dry batteries),		type and capacity)	
< 5 hours (rechargeable batteries)	< 5 hours (rechargeable batteries)	< 6 hours (rechargeable batteries)		— For use with:	
				HT 40 FLEXX, PT 40 FLEXX, HT 40 PRO, PT 40 PRO	
20 x 25 x 145 mm	22 x 30 x 98 mm	125 x 26 dia. mm	100 x 58 x 135 mm	188 x 115 x 78 mm	
(0.8 x 1 x 5.7 in.)	0.8 x 1.2 x 3.8 in.)	(4.9 x 1 in.)	(3.9 x 2.3 x 5.3 in.)	(7.4 x 4.5 x 3 in.)	
36 g (1.29 oz.)	36 g (1.29 oz.)	30 g (1.1 oz.)	approx. 400 g (0.83 lbs.)	approx. 420 g (0.87 lbs.)	
MP 40, neck cord,	SO 40, black battery cover,	TM 40, charging adapter,	CU 40, AC adapter (12 V DC output)	CU 400, AC adapter (12 V DC output)	
black replacement clip,	1 AAA size dry battery	color code battery cover,			
1 AAA size dry battery	<u></u>	1 AAA size dry battery			









Accessories







AKG ACOUSTICS







AKG Acoustics GmbH Lemböckgasse 21–25, A-1230 Vienna/AUSTRIA Tel: (+43 1) 86 654–19 www.akg.com, e-mail: sales@akg.com Hotline: (+43 676) 83200 888, hotline@akg.com

AKG Acoustics GmbH Bodenseestraße 228, D-81243 München/GERMANY Tel: (+49 89) 87 16-0, Fax: (+49 89) 87 16-200 www.akg.com/de, e-mail: infode@akg.com Hotline: (+49 89) 87 16-22 50, hotlinede@akg.com

AKG ACOUSTICS, U.S. 914 Airpark Center Drive, Nashville, TN 37217, U.S.A. Tel: (+1 615) 620-3875, www.akgusa.com, e-mail: akgusa@harman.com

For other products and distributors worldwide see our website: www.akg.com

Specifications subject to change without notice.

02/06/PROA 1546

H A Harman International Company

www.akg.com













